



Non-stick Cooking Spray

CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper

Living Under One Roof

Information Cards

California Education and the Environment Initiative

Unit E.8.c.

Living Under One Roof

Information Cards

Fire Extinguishers



Non-stick Cooking Spray

Non-stick cooking spray is a type of cooking oil that can be sprayed onto bakeware, pots, pans, and other cooking tools to keep food from sticking. Cooking spray uses an aerosol—a suspension of fine solid or liquid particles in a gas. There are several reasons some people prefer non-stick cooking sprays to other ways of preventing food from sticking:

- butter is high in calories and saturated fat, making foods cooked in butter less healthy.
- it is easier to coat a pan with a fine mist of non-stick cooking spray compared to oil from a bottle. This can mean the cook uses less oil, and again this can be a healthier way of cooking.
- non-stick spray does not have to be refrigerated and is easy and clean to use.
- it is easier to apply this non-stick spray to surfaces, such as grills, compared to oil.
- cooking sprays come in low to non-fat varieties, as well as butter-flavored.

The gas used as a propellant in cooking sprays is either chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC).

■ by the general public on boats, and in RVs (campers and trailers), cars, and trucks.

■ in computer rooms or rooms with a lot of electrical equipment.

also be put out quickly.

■ by the military, on ships, tanks, and planes, where fire danger is high and where fires must

to be put out quickly.

■ on airplanes, which carry a lot of flammable gas, and thus may experience fires that need caused by flammable liquids. For this reason, these fire extinguishers are used:

halon. Halon-type fire extinguishers are one of the best ways to put out electrical fires or fires

fire extinguishers use a compound that manufacturers call "halon." Halon is made from

high pressure.

fire. When you squeeze the lever at the top of the container, the water or material is forced out by

fire extinguishers are sturdy metal containers filled with water or a material that will smother

Fire Extinguishers



Industrial Solvent

CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper

Information Cards

Recycled

Dry Cleaning Solvent



Information Card | card 4 of 12

Industrial Solvent

Some solvents are used as cleaners. Solvents can remove ink, paint, adhesives (sticky stuff—like labels) and other coatings. Methyl chloroform is a solvent that is good at cleaning metal. In electronics, such as circuit boards and computers, the metal surfaces need to be very clean and dust free. The electronics industry uses solvents because:

- they do not leave a film behind that could otherwise interfere with electrical currents.
- they do not cause metals to rust.



Some solvents are used as cleaners. The cleaning agent used in dry cleaning is called methyl chloroform. Methyl chloroform is a chlorine-based cleaner used for cleaning clothing or other fabrics. The reason why methyl chloroform is so useful in dry cleaning is because it is not absorbed into the fabric.

- it removes oil stains.
- it is odor free.
- it is not very toxic (poisonous).

Refrigeration



CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper



Pesticides



Refrigeration

Almost every home in the United States has a refrigerator. Refrigerators keep food and beverages cold. The substance that cools the refrigerator is a gas made of chlorofluorocarbon (CFC), hydrochlorofluorocarbon (HCFC), or methyl chloride.

Before these coolants were invented, people used an icebox—a thick box that contained a large slab of ice inside. The ice was cut during the winter from a frozen lake and transported to icehouses, where it was kept cold using insulation, such as sawdust. People had blocks of ice delivered weekly, if they could afford it. Otherwise, people did not keep extra food on hand that could spoil. To preserve meat, they used salt or smoke, or dried it in the open air.

Some of the largest uses of commercial refrigeration today include:

- grocery stores
- food transportation, including trucks, trains, and ships
- restaurants
- ice arenas (Ice arenas use refrigeration to chill the ice.)



Methyl bromide is a chemical used to kill pests, such as insects, worms, weeds, mice, and rats. Farmers use methyl bromide to kill pests that eat their crops. As a result, farmers have higher crop production. Methyl bromide is also used to kill termites in homes and to kill pests in food processing warehouses. The United States Department of Agriculture uses methyl bromide to treat imported crates and pallets that might be infested with nonnative bugs or viruses. If these pests or viruses are left untreated, they could destroy native plants. People who use methyl bromide prefer it to other pesticides because:

- it kills bacteria that cause crops to get diseases.
- it is not poisonous to other wildlife or people.

Pesticides



CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper

Information Cards

8



Foam Cushions and Packaging

Foam cushions make our furniture and car seats soft and comfortable. Foams are made of chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC). Soft cushion foam material is used in:

- pillows
- bed mattresses
- upholstered furniture, such as sofas and chairs
- patio furniture
- seats in cars, buses, airplanes

Rigid foam is used in packaging to transport fragile items, such as glass or other breakables. Packaging comes in the form of sheets or “popcorn.”



- between walls on the inside of a home or business to block or reduce noise.
 - as a spray between walls of older homes as a way to add insulation.
 - inexpensive (often times disposable) coolers in the transport of seafood or meats, or by the general public during picnics.
 - between walls on houses and buildings as a “wrap” before construction workers put on the siding, brick, stucco, or other wall covering.
 - on houses and buildings as a “wrap” before construction workers put on the siding, brick, stucco, or other wall covering.
- Foam insulation is used:
- Insulators are made of chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC).
- Insulation helps keep things warm or cold, depending on how we use it. Hard foams used as
- Foam Insulators**

Spray Paint




CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper

CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards



Spray Paint

Aerosol spray paint uses a gas that forces the paint out in a fine mist. The gas used as a propellant is either chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC). Spray paint is useful because:

- it can be applied on all sorts of materials: metal, wood, plastic, ceramic, and fabric.
- it can be applied without any other tools, such as a paintbrush.
- it goes on smoothly, without brushstrokes.
- it can be sprayed in hard-to-reach places where a brush would not be useful.
- unused paint stays fresh in the can and can be used later.

Paint fumes can be harmful, so one should always use spray paints in a well-ventilated area.



Air conditioners come in a variety of forms. Self-contained units can be placed in the windows of a home. Central air conditioning uses flexible pipes to push cool air to different rooms in a building. Air conditioning became available and affordable in the 1950s. As a result, people were able to live comfortably in hot or humid climates. Cities, such as Phoenix, Houston, Dallas, Los Angeles, Las Vegas, Atlanta, and others, grew into major urban areas. The coolant in air conditioning is either chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC). The biggest users of air conditioning include:

- malls
- large office buildings
- supermarkets
- airports
- warehouses
- hospitals



Metered-dose Inhaler

CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Printed on post-consumer recycled paper



Printed on post-consumer recycled paper

Information Cards



CALIFORNIA EDUCATION AND THE ENVIRONMENT INITIATIVE | Unit E.8.c. | Living Under One Roof | Information Cards

Auto Air Conditioning



Metered-dose Inhaler

The metered-dose inhaler is the main treatment for people who have asthma and chronic obstructive pulmonary disease (COPD). Asthma is a disease that affects the airways, which are the tubes that carry air in and out of your lungs. COPD is a lung disease in which the lung is damaged, making it hard to breathe. Inhalers use an aerosol propellant to push medication out of the inhaler in a fine mist that can be quickly absorbed by air passages. The gas used as a propellant is either chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC).

Metered-dose inhalers are useful because:

- they are small and portable, so they can be easily carried at all times.
- the medicine is released in the right dosage, so just the right amount is given.



Before the 1960s, the only way to keep cool in a car or truck was to roll the windows down. When it was really hot, this just moved the hot air around and did little to keep a traveler cool. Air conditioning in cars and trucks has been available in the United States since the early 1960s until about 1995. When auto air conditioning was first available, it was considered an expensive option that few could afford. Today, nearly all cars come with air conditioning. The coolant in air conditioning is either chlorofluorocarbon (CFC) or hydrochlorofluorocarbon (HCFC). Even though the space to cool in a car or truck is much smaller than that in a typical house, auto air conditioners are large. Why? When parked in the Sun—even on a cool day—the inside of the car heats up. On hot days, a car can quickly heat to over 100°F (38°C). The air conditioners in automobiles need to cool this hot air quickly because people typically do not wait 5 or 10 minutes before they drive off.

Auto Air Conditioning